


MESH SIDES EXTENSION



ME1



ALKE' electric vehicles with dropside box and steel mesh extension are used for the green and waste management, for the transport of miscellaneous goods and also in the tourist sector. The steel mesh sides protect the goods during the transport, avoiding the lateral falling during the maneuvers. Also, they allow greater load on the platform,

increasing the possibility of vertical storage. The steel mesh extension for ATX are entirely made of steel, with a height of 550 mm (21,65") and are designed for the loading bed long 1800 mm (70,87"), 1300 mm (51,18") or 2000 mm (78.74") with compass opening and removable rear drop side.

| compatible models | all models | |
|---|---|---|
| N1 road homologation | • | |
| model ATX | length | height |
| ATX 310E [mm] | 3.030 | 1.890 (with standard tyres) |
| ATX 320E [mm] | 3.530 | |
| ATX 330E [mm] | 3.530 ⁽¹⁾ / 3.730 ⁽²⁾ | 1.980 (with standard tyres and flashing LED) |
| ATX 330ED [mm] | 4.290 ⁽¹⁾ / 4.490 ⁽²⁾ | |
| ATX 330EH [mm] | 3.530 ⁽¹⁾ / 3.730 ⁽²⁾ | 1.980 (with standard tyres and flashing LED) |
| ATX 340E [mm] | 3.530 ⁽¹⁾ / 3.730 ⁽²⁾ | |
| ATX 340ED [mm] | 4.290 ⁽¹⁾ / 4.490 ⁽²⁾ | 1.980 (with standard tyres and flashing LED) |
| ATX 340EH [mm] | 3.530 ⁽¹⁾ / 3.730 ⁽²⁾ | |
| ATX 340EDH [mm] | 4.290 ⁽¹⁾ / 4.490 ⁽²⁾ | 1.980 (with standard tyres and flashing LED) |
| width of vehicle (with wing mirrors closed / open) | [mm] | |
| loading capacity of vehicle is given by the load capacity (chassis) of the model on which is mounted the module less the weight of the module and optionals/accessories | | |

mesh sides extension

| | | |
|---|---|-----|
| module: weight | | |
| vehicle's weight: empty weight (chassis) of the model on which is mounted the module plus the weight of the module itself and optionals/accessories | | |
| | for body 1300 x 1230 mm (length x width) [kg] | 25 |
| | for body 1800 x 1230 mm (length x width) [kg] | 29 |
| | for body 2000 x 1400 mm (length x width) [kg] | 30 |
| height | [mm] | 550 |

steel mesh sides extensions with compass opening and removable rear drop side removable module
three dimensions (length x width, depends on the dropside body dimensions):
1300 x 1230 mm • 1800 x 1230 mm • 2000 x 1400 mm

• as standard Δ optional ! compatible but not type-approved for road circulation
— not available ⁽¹⁾ vehicle with standard wheelbase ⁽²⁾ vehicle with long wheelbase



NOTE

This module is powered by the battery of the vehicle therefore can affect the autonomy of the vehicle itself. **For all the other data** refer to the technical specs of the model on which is fitted the module. **The technical specifications**, design and performance of the products listed in this technical sheet are indicative and may undergo modifications without forewarning.



Via Cile, 5
35127 Padua | Italy



+39.049.8702400
+39.049.761208



info@alke.com

WWW

www.alke.com



© 2021 Alkè

Rev. 210205



ISO 9001:2015 - BN17607/17301
ISO 14001:2015 - BN17607/17302
OHSAS 18001:2007 - BN17607/17303

• as standard Δ optional ! compatible but not type-approved for road circulation
— not available ⁽¹⁾ vehicle with standard wheelbase ⁽²⁾ vehicle with long wheelbase

The technical specifications, design and performance levels indicated in this technical data sheet are by way of example only and may be subject to modifications without prior notice.